

## NEW TRIBES IN ASTERACEAE

**Jose L. Panero**

Section of Integrative Biology, 1 University Station, C0930,  
The University of Texas, Austin, TX 78712, USA  
panero@mail.utexas.edu

**V. A. Funk**

US National Herbarium, Department of Botany, P.O. Box 37012,  
Smithsonian Institution MRC 166, Washington, DC 20013-7012, USA

**ABSTRACT**

The tribal names *Corymbieae*, *Gymnarrheneae*, *Hecastocleideae*, *Pertyeae*, and *Wunderlichiaeae* were not validly published for lack of Latin descriptions. We validate these names here with short Latin descriptions. *Phytologia* 91(3):568-570 (December, 2009).

**KEY WORDS:** Compositae, *Corymbieae*, *Gymnarrheneae*, *Hecastocleideae*, *Pertyeae*, *Wunderlichiaeae*.

The original publication of tribes *Corymbieae*, *Gymnarrheneae*, *Hecastocleideae*, *Pertyeae* and *Wunderlichiaeae* shared Latin diagnoses with their corresponding subfamilies *Corymbioideae*, *Gymnarrhenoideae*, *Hecastocleidoideae*, *Pertyoideae* and *Wunderlichioideae* (Panero and Funk, 2002; 2007). It has been brought to our attention that a Latin description cannot be used to validate two names. We herein include a Latin diagnosis for the tribal names.

***Corymbieae* Panero & V.A. Funk, *tribus nov.* Type: *Corymbium* L.  
*Corymbieae* Panero & V.A. Funk, Proc. Biol. Soc. Wash. 115: 910.  
2002, *nom. nud.***

Tribus subfamiliae *Corymbioideae*, plantae in foliis sessilibus et in laminis conduplicatis. Capitula uniflora, bracteis involuceri biseriatis, dimorphis, bracteis interioribus 2, involutes; limbis corollarum salverformibus.

The tribe is monogeneric.

**Gymnarrheneae** Panero & V. A. Funk, **tribus nov.** Type: *Gymnarrhena* Desf. *Gymnarrheneae* Panero & V. A. Funk, Proc. Biol. Soc. Wash. 115: 912. 2002, *nom. nud.*

Tribus subfamiliae Gymnarrhenoideae, herbae perennes rosettiformes. Capitulis subterraneis et aeriae; achaeniis dimorphis.

The tribe is monogeneric.

**Hecastocleideae** Panero & V.A. Funk, **tribus nov.** Type: *Hecastocleis* A. Gray. *Hecastocleideae* Panero & V. A. Funk, Proc. Biol. Soc. Wash. 115: 914, 2002, *nom. nud.*

Tribus subfamiliae Hecastocleidoideae, capitulescentiis biordinatis in capitulis solitariis in bracteis spiniferis.

The tribe is monogeneric.

**Pertyeae** Panero & V.A. Funk, **tribus nov.** Type: *Pertya* Schultz-Bip. *Pertyeae* Panero & V.A. Funk, Proc. Biol. Soc. Wash. 115: 915. 2002, *nom. nud.*

Tribus subfamiliae Pertyoideae, corollis lobis profunde dissectis variabiliter connatis distinctae

The tribe contains six genera: *Ainsliaea* DC., *Catamixis* Thoms. (see Panero, 2008), *Diaspananthus* Miq. (sometimes included in *Ainsliaea*, see Freire, 2007), *Macroclinidium* Maxim., *Myripnois* Bunge, and *Pertya* Schultz-Bip.

**Wunderlichieae** Panero & V.A. Funk, **tribus nov.** Type:  
*Wunderlichia* Riedel ex Benth. & Hook. f. *Wunderlichieae* Panero &  
V.A. Funk, Phytologia 89: 357. 2007, *nom. nud.*

Tribus subfamiliae Wunderlichioideae (in combinatione) foliis  
crasse coriaceis aut deciduis, corollis grandibus tubis antherarum  
exsertis, corollis plerumque actinomorphis, capitulis phyllariis  
multiseriatis, stylis brachiis papillatis aut laevibus, et cypselis  
plerumque cylindricis 10-nervatis.

The tribe contains four genera: *Chimantaea* Maguire, Steyermark  
& Wurdack, *Stenopadus* S.F. Blake, *Stomatochaeta* (S.F. Blake)  
Maguire & Wurdack, and *Wunderlichia* Riedel ex Benth. & Hook. f.

### ACKNOWLEDGEMENTS

We thank James L. Reveal for bringing this nomenclatural  
issue to our attention. We thank B. S. Crozier, J. L. Reveal and B. L.  
Turner for reading the manuscript and providing helpful suggestions.

### LITERATURE CITED

- Freire, S. E. 2007. Systematic revision and phylogeny of *Ainsliaea* DC.  
(Asteraceae, Mutisieae). Ann. Mo. Bot. Gard. 94: 79–191.
- Panero, J. L., and V. A. Funk. 2002. Toward a phylogenetic subfamilial  
classification for the Compositae. Proc. Biol. Soc. Wash. 115: 909–  
922.
- Panero, J. L., and V. A. Funk. 2007. New infrafamilial taxa in  
Asteraceae. Phytologia 89: 356–360.
- Panero, J. L. 2008. Shared molecular signatures support the inclusion of  
*Catamixis* in subfamily Pertyoideae (Asteraceae). Phytologia 90:  
418–424.